

73542 RF94

JE
ATE

CTION

omer, Governor
a A Nolan, MD, MPH, Executive Director
ated to protecting and improving the health and environment of the people of Colorado

Cherry Creek Dr S
r, Colorado 80222-1530
(303) 692-2000

Laboratory Building
4210 E 11th Avenue
Denver, Colorado 80220-3716
(303) 691-4700

September 7, 1994

Mr Mark A Silverman
Manager, Rocky Flats Office
U S Department of Energy
P O Box 928
Golden, Colorado 80402-0928

RE Approval for a Change to Interim Status for RCRA Units 18 03 and 18 04 Denial for Change to Interim Status for 18 01

Dear Mr Silverman

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division), has reviewed the Department of Energy's (DOE) Rocky Flats Office's April 22, 1994 request for a change to Interim Status. The request is to withdraw Unit 18 01 (Decon pad) and to add additional waste codes (D027, D028, D029, D035, D039, D040, D043, F006, F007, F009) to units 18 03 and 18 04. Additionally, DOE has requested the storage of 55 gallon drums, granular activated carbon bulk bins, crates and half crates in addition to the drums in 18 03 and 18 04.

The Division is approving the request for a change to Interim Status for Units 18 03 and 18 04 in accordance with 6 CCR 1007-3 Section 100 20 (b) (4). However, the request to withdraw from the Part A and terminate interim status for RCRA Unit 18 01 can not be granted. A closure plan must be submitted and approved by CDPHE, and the closure must be certified in accordance with 6 CCR 1007-3 Section 265 115 to terminate the interim status obligations for the unit. If you have any questions concerning this matter, please contact Lisa Weers at (303) 692-3451.

Sincerely,

**Gary W Baughman, Chief
Facilities Section
Hazardous Waste Control Program**

cc S Tarlton, Rocky Flats Program Unit
M Johnson, Jefferson County Health Department
M Hestmark, EPA
D Ruscitto, DOE
~~K. Peter~~, EG&G
D Miller, AGO
D Waltz, CDPHE/HMWMD

EEG
ROCKY FLATS PLANT
CORRESPONDENCE CONTROL

SEP 15 1 55 PM '94

RRS. CONTROL	X	X
MN RECORD/080	X	2
TS/T130G		

Reviewed for Addressee
Corres Control RFP

9-15-94 RDM
DATE BY

f Ltr #

DE ORDER # 5400.1

ADM - COR
SW-SW-A-003399

1 of 1